

EN IEC 62311:2020

ASSESSMENT REPORT

For

**Shenzhen Sonoff Technologies Co.,Ltd.**

1001, BLDG8, Lianhua Industrial Park, Shenzhen, GD, China

**Tested Model: T3US3C**  
**Multiple Models: T0US1C,T0US2C, T0US3C,**  
**T2US1C,T2US2C,T2US3C,T3US1C,T3US2C**

<b>Report Type:</b> Original Report	<b>Product Type:</b> Wi-Fi Smart Wall Switch
<b>Report Number:</b>	DG1220422-15886E
<b>Report Date:</b>	2022-06-27
<b>Reviewed By:</b>	Rocky Xiao RF Engineer
<b>Test Laboratory:</b>	Bay Area Compliance Laboratories Corp. (Dongguan) No.12, Pulong East 1 <sup>st</sup> Road, Tangxia Town, Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891 <a href="http://www.baclcorp.com.cn">www.baclcorp.com.cn</a>

## **TABLE OF CONTENTS**

<b>GENERAL INFORMATION</b> .....	<b>3</b>
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT).....	3
OBJECTIVE.....	3
TEST METHODOLOGY.....	3
DECLARATIONS.....	3
TECHNICAL REQUIREMENTS SPECIFICATION IN EN IEC 62311.....	4
TEST DATA(FAR FIELD CALCULATION).....	5
<b>EXHIBIT A – EUT PHOTOGRAPHS</b> .....	<b>6</b>
<b>DECLARATION LETTER</b> .....	<b>7</b>

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

<b>Product Name:</b>	Wi-Fi Smart Wall Switch
<b>EUT Model:</b>	T3US3C
<b>Multiple Models:</b>	T0US1C,T0US2C,T0US3C, T2US1C, T2US2C, T2US3C, T3US1C, T3US2C
<b>Model Difference:</b>	Refer to Dos
<b>Rated Input Voltage:</b>	AC 100-240V 50/60Hz
<b>Serial Number:</b>	DG1220422-15886E-RF-S1/1
<b>EUT Received Date:</b>	2022.4.21
<b>EUT Received Status:</b>	Good

### Objective

This report is prepared on behalf of *Shenzhen Sonoff Technologies Co.,Ltd.* in accordance with EN IEC 62311:2020, Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz to 300 GHz).

The objective is to determine the compliance of EUT with EN IEC 62311:2020.

### Test Methodology

All measurements contained in this report were conducted with EN IEC 62311:2020.

### Declarations

BACL is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with a triangle symbol “▲”. Customer model name, addresses, names, trademarks etc. are not considered data.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

This report cannot be reproduced except in full, without prior written approval of the Company.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This report may contain data that are not covered by the accreditation scope and shall be marked with an asterisk “★”.

**Technical Requirements Specification in EN IEC 62311**

**General Description of Applied Standards**

In general, the basic restrictions shall be used as exposure limits for the assessment of compliance. However, in most cases reference levels are used as limits. Such reference levels for exposure to electric, magnetic and electromagnetic fields are derived from the basic restrictions using realistic worst-case assumptions about exposure. If the reference levels are met, then the basic restrictions will also be met; if the reference levels are exceeded, that does not necessarily mean that the basic restrictions are exceeded. In some situations, it may be possible to show compliance with the basic restrictions directly. It may also be possible to derive compliance criteria that allow a simple measurement or calculation to demonstrate compliance with the basic restrictions. Often these compliance criteria can be derived using realistic assumptions about conditions under which exposures from a device may occur, rather than the conservative assumptions that are the basis for the reference levels.

**RF Exposure Evaluation**

**Limit:**

According to EN IEC 62311, the criteria listed in the below table shall be used to evaluate the environmental impact of human exposure to radio-frequency (RF) radiation as specified table 2 of Council Recommendation 1999/519/EC.

Reference levels for electric, magnetic and electromagnetic fields  
(0 Hz to 300 GHz, unperturbed rms values)

Frequency range	E-field strength (V/m)	H-field strength (A/m)	B-field(μT)	Equivalent plane wave power density $S_{eq}(W/m^2)$
0-1 Hz	-	$3,2 \times 10^4$	$4 \times 10^4$	-
1-8 Hz	10 000	$3,2 \times 10^4/f^2$	$4 \times 10^4/f^2$	-
8-25 Hz	10 000	4 000/f	5 000/f	-
0,025-0,8 kHz	250/f	4/f	5/f	-
0,8-3 kHz	250/f	5	6,25	-
3-150 kHz	87	5	6,25	-
0,15-1 MHz	87	0,73/f	0,92/f	-
1-10 MHz	$87/f^{1/2}$	0,73/f	0,92/f	-
10-400 MHz	28	0,073	0,092	2
400-2 000 MHz	$1,375 f^{1/2}$	$0,0037 f^{1/2}$	$0,0046 f^{1/2}$	f/200
2-300 GHz	61	0,16	0,20	10

Notes:

- 1. f as indicated in the frequency range column.

**Test method**

**Far Field**

The antenna of the product, under normal use condition is at least 20cm away from the body of the user. So, this product under normal use is located on electromagnetic far field between the human body.

**Far Field Calculation Formula**

$$E = \frac{\sqrt{30PG(\theta, \phi)}}{r}$$

Where:

P= Tune-up average conducted power

G= antenna gain relative to an isotropic antenna

$\theta, \phi$  = elevation and azimuth angles to point of investigation

r= distance from observation point to the antenna

For simultaneously transmit system, the calculated power density should comply with:

$$\sum_i \frac{E_i}{E_{Limit, i}} \leq 1$$

**Equivalent plane wave power density:**

**Equivalent plane wave power density Seq Calculation Formula**

$$\text{Power density Seq} = PG / (4 \pi r^2)$$

Where:

P= Tune-up average conducted power

G= antenna gain relative to an isotropic antenna

r= distance from observation point to the antenna

**Test Data(Far Field Calculation)**

RF Mode	Tune-up EIRP		E-Field Strength	Limit	Result
	(dBm)	(mW)	(V/m)	(V/m)	
Wi-Fi	17	50	6.13	61	Pass

**Note:**

The distance from observation point to the antenna is 20cm.

**Conclusion:** Compliant

---

## **EXHIBIT A – EUT PHOTOGRAPHS**

---

For photos in this section, please refer to report No.: DG1220422-15886E-02 EXHIBIT A.

**DECLARATION LETTER**

Shenzhen Sonoff Technologies Co., Ltd.  
 Add: 1001, BLDG8, Lianhua Industrial Park, Shenzhen, GD, China  
 Tel: 0755-27955416 Fax: 0755-27955416  
 E-mail: hongbo.liu@itead.cc

**DECLARATION OF SIMILARITY**

Date: 2022-06-14  
 To Whom It May Concern

Dear Sir or Madam:

We, Shenzhen Sonoff Technologies Co., Ltd., hereby declare that product: Wi-Fi Smart In-wall Light Switch, Model number: T0US1C, T0US2C, T0US3C, T2US1C, T2US2C, T2US3C, T3US1C, T3US2C, T3US3C. They have same structure, PCB, Material and WIFI function. Their difference as follows:

Model	With 433MHz Receiver Module	Gang(s)	Color
T0US1C	no	one	white
T0US2C	no	two	white
T0US3C	no	Three	white
T2US1C	yes	one	white
T2US2C	yes	two	white
T2US3C	yes	three	white
T3US1C	yes	one	black
T3US2C	yes	two	black
T3US3C	yes	three	black

PCB Item Number	Manufacturer	Type/Model	Technical Data
K1, K2, K3 (T0US3C, T2US3C, T3US3C)	Zhejiang Fanhar Electronics Co., Ltd.	W11-1A2STLE-H-DC5V	DC5V 10A 250VAC
	Shenzhen Golden Electrical Appliance Co Ltd.	GI-1A-5LH DC5V	10A 250VAC
K1, K2 (T0US2C, T2US2C, T3US2C)	Zhejiang Fanhar Electronics Co., Ltd.	W11-1A2STLE-H-DC5V	DC5V 10A 250VAC
	Shenzhen Golden Electrical Appliance Co Ltd.	GI-1A-5LH DC5V	10A 250VAC
K1 (T0US1C, T2US1C, T3US1C)	Zhejiang Fanhar Electronics Co., Ltd.	W11-1A2STLE-H-DC5V	DC5V 10A 250VAC

	Shenzhen Golden Electrical Appliance Co Ltd.	GI-1A-5LH DC5V	10A 250VAC
--	--	----------------	------------

Except the differences above, we declare the products are electrically identical. We guarantee all the information provided above is true, and notice that we'll bear all the consequences caused by any false information or concealing.

Please contact me should there be need for any additional clarification or information.

Best Regards,  
Signature



Name: hongbo.liu  
Title: Manager

**\*\*\*\*\*END OF REPORT\*\*\*\*\***